



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|----------------------------|------------------------|
| 10/051,268 | 01/18/2002 | Sundeep Chandhoke | 5150-58300 | 8985 |
| 35690 7590 02/10/2009 MEYERTONS, HOOD, KIVLIN, KOWERT & GOETZEL, P.C. P.O. BOX 398 AUSTIN, TX 78767-0398 | | | EXAMINER DAO, THUY CHAN | |
| | | | ART UNIT 2192 | PAPER NUMBER |
| | | | MAIL DATE 02/10/2009 | DELIVERY MODE PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Application Number: 10/051,268
Filing Date: January 18, 2002
Appellant(s): CHANDHOKE ET AL.

Jeffrey C. Hood (Reg. No. 35,198)
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 09/01/2006 appealing from the Office action mailed 11/28/2005, and to replace the Examiner's Answer mailed 03/03/2008.

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

In view of the amendments filed July 3, 2006, claim 40 has been canceled. The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

The amendments filed on July 3, 2006 has been entered. The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

| | | |
|-----------|-----------------|---------|
| 6,226,783 | LIMONDIN ET AL. | 5-2001 |
| 5,966,532 | MCDONALD ET AL. | 10-1999 |

(9)Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

(Notes – claim 40 now has been canceled).

□ Claims 1, 4-11, 18-28, 31-39 and 41-45 are rejected under 35 U.S.C. 102(e) as being anticipated by Limondin et al. (US 6226783), hereinafter, Limondin et al.

Claim 1

Limondin et al. teach a computer-implemented method (e.g., see object oriented method co1.2:59-65) for creating a graphical (i.e., graphical data flow) program (e.g., see machine vision application col. 1:15-35; see structuring a software step program, vision applications, computer programs, user interfaces co1.1:55-67; see programs, graphical user interface co1.2:1-3; see user interface components, GUI colo2:15-22; col.2:59-65; see STEPS, 100 FIG.2 & associated text; see FIG.6 & associated text; see FIGS.8A-8C & associated text; see step program, editor objects co1.7:35-44) based on a sequence (i.e., prototype) (e.g., see series of operations, "steps" Abstract; see set of operations, steps, sequence col. 1:15-35; see list of operations col.3:1-10; see step inputs co1.5:8-13; see execution order co1.5:20-35) that includes motion control (e.g., see WarpStep 122 FIG.2 & associated text; see WARP 122 FIG.3 & associated text), machine vision (e.g., see VISION PROCESSOR BOARD FIG.8A & associated text; see machine vision application co1.1:15-35; see machine vision operations co1.1:55- 67), and data (i.e., images, and measurement data) acquisition (DAQ) operations (i.e., functionality) (e.g., see AcquireStep 112 FIG.2 & associated text; see ACQUIRE 112 FIG.3 & associated text; see acquisition of an input image col. 1:15-35; see feature extraction, features, size, area, length, distance col. 1:15- 35;), the method comprising:

means for displaying a graphical user interface (GUI) that provides GUI access to a set of operations (e.g., see user interfaces co1.1:55-67; see step program, tree control window co1.4:50-55; see iconic picture, individual step operation col.5:35-45; see FIG.2 & associated text; see editor objects, graphical view, step col.6:59-65), wherein the set of operations includes one or more motion control operations (e.g., see motion device col.3:15-27), one or more machine vision (i.e., image analyzing) operations (e.g., see

Art Unit: 2192

accelerated image processing colo2:40- 50), and one or more DAQ operations (e.g., see AcquireStep 706a, AcquireStep 706b FIG.9 & associated text; see image acquisition co1.2:40- 50);

means for receiving user input to the graphical user interface specifying the sequence of operations (e.g., see series of operations, "steps" Abstract; see set of operations, steps, sequence co1.1:15-35; see list of operations co1.3:1-10; see step inputs co1.5:8-13; see operator, user interface control, step parameters, settings co1.6:59-co1.7:3), wherein the specified sequence of operations includes at least one motion control operation (e.g., see WarpStep 122 FIG.2 & associated text; see WARP " 122 FIG.3 & associated text), at least one machine vision operation (e.g., see VISION PROCESSOR BOARD FIG.8A & associated text; see machine vision application co1.1:15-35; see machine vision operations co1.1:55-67), and at least one DAQ operation (e.g., see AcquireStep 112 FIG.2 & associated text; see ACQUIRE 112 FIG.3 & associated text; see acquisition of an input image co1.1:15-35; see feature extraction, features, size, area, length, distance col. 1:15-35;);

means for storing the specified sequence of operations based on the user input (e.g., see GUID, database co1.4:55-65; see steps, data structure, map c01.6:34-40; see step program, disk col. 10:5-17); and

means for programmatically/automatically generating a graphical program to implement the specified sequence of operations, wherein said automatically generating the graphical program comprises generating graphical code in the graphical program without direct user input (e.g., see execution order, step, attribute co1.5:25-35; see step program, steps, software objects, C++ classes col.4:25-67; see iconic picture, step operation, step program 100 col.5:37-40; co1.2:59-67; col.4:34-67), and wherein the graphical code comprises a plurality of interconnected nodes (i.e., linking portions of graphical code wherein each portion of graphical code implements one of the operations in the sequence) which visually indicate the functionality of the graphical program that visually indicate functionality of the graphical program (e.g., see software objects, steps, connection, inputs, outputs col.2:59-65; see STEPS, 100 FIG.2 & associated text; see STEPS, 706a, 706b, 714 FIG.9 & associated text; see steps,

Art Unit: 2192

datum objects col.4:34-42; see iconic picture, individual step operation col.5:35-45; see FIG.2 & associated text).

Claim 4

The rejection of base claim 1 is incorporated. Limondin et al. further teach further comprising: executing the graphical program to perform (i.e., affect an action which operation is operable to perform) the sequence of operations (e.g., see target processor, user program Abstract; col.2:30-35; see execution, program co1.2:40-50; see steps, operations co1.2:59-67; see execution order col.5:20-35; col. 10:4-10).

Claim 5

The rejection of base claim 1 is incorporated. Limondin et al. further teach wherein the graphical program includes a block diagram portion (e.g., see software objects, steps, tree structure colo4:25-31; see STEPS 100 FIG.2 & associated text) and a user interface panel portion (e.g., see step program, tree control window col.4:50-55; see FIG.2 & associated text).

Claim 6

The rejection of base claim 1 is incorporated. Claim recites limitations, which have been addressed in claim 1, therefore, is rejected for the same reasons as cited in claim 1.

Claim 7

The rejection of base claim 1 is incorporated. Limondin et al. further teach wherein said programmatically generating the graphical program comprises including one or more nodes in the graphical program corresponding to the operations in the sequence (e.g., see iconic picture, individual step operation col.5:35-45; see FIG.2 & associated text; see step code, object functions co1.10:9- 17).

Claim 8

Art Unit: 2192

The rejection of base claim 1 is incorporated. Claim recites limitations, which have been addressed in claim 3, therefore, is rejected for the same reasons as cited in claim 3.

Claim 9

The rejection of base claim 8 is incorporated. Limondin et al. further teach wherein each portion of graphical code includes one or more graphical program nodes, wherein each node has one or more inputs or outputs (e.g., see IN DATA 510,'512, 514, OUT DATA 234, 236, 238 FIG.5 & associated text.); wherein generating each portion of graphical code comprises connecting the node inputs and outputs together in order to implement the operation with which the portion of graphical code is associated (e.g., see STEP OBJECT 200 FIG.5 & associated text; see connection of inputs to outputs at each step col.2:59-65; see inputs, outputs, operation, step col.3:1-11).

Claim 10

The rejection of base claim 8 is incorporated. Limondin et al. further teach wherein linking a first portion of graphical code to a second portion of graphical code comprises connecting an output of a node in the first portion of graphical code to an input of a node in the second portion of graphical code (e.g., see connection of inputs to outputs, between steps col.2:59-65; see results, output, inputs, one step, other steps col.4:42-50).

Claim 11

The rejection of base claim 8 is incorporated. Limondin et al. further teaches further comprising: for each operation in the sequence, retrieving information associated with the operation from a database; wherein generating the portion of graphical code that implements a particular operation utilizes the database information retrieved for the particular operation (e.g., see recipe database col.2:1-6; see GUID, database col.4:55-65).

Claim 18

The rejection of base Claim 1 is incorporated. Limondin et al. further teach wherein said receiving user input to the graphical user interface specifying a desired sequence of operations does not include receiving user input specifying programming language code to implement the sequence of operations (e.g., see user programs, computer language, programming language Abstract; see drop-in functionality, language independent software components col. 1:55-67; see program, point and click graphical user interface col.2:1-6).

Claim 19

The rejection of base claim 1 is incorporated. Limondin et al. further teach wherein the sequence is operable to perform one or more (i.e., two) of:

control motion of a device (e.g., see motion device, moving camera col.3:15-27);
analyze acquired images (e.g., see acquisition of an input image co1.1:15-35; see accelerated image processing, image acquisition col.2:40-50; see camera images co1.4:15-22; see FIG.9 & associated text; see FIG.3 & associated text; see acquisition of an image co1.5:60-65; see camera images col.7:64-67); and

acquire measurement data (e.g., see acquisition of an input image co1.1:15-35; see feature extraction, features, size, area, length, distance co1.1:15-35; see distance, features col.4:15-22; see FIG.9 & associated text; see camera images, distance between features col.7:64-67; co1.9:5-25).

Claims 20-23

The rejection of base claim 1 is incorporated. Claims recite limitations, which have been addressed in claims 1, 4, 18, 19, therefore, are rejected for the same reasons as Cited in claims 1, 4, 18, 19.

Claim 24

The rejection of base claim 22 is incorporated. Limondin et al. further teach further comprising: for each operation to be configured, displaying a graphical panel

Art Unit: 2192

including graphical user interface elements for setting properties of the operation and receiving user input to the graphical panel to set one or more properties of the operation (e.g., see user interface components, GUI, setting of parameters col.2:15-22; see parameters, inputs, outputs col.3:1-15; col.4:55-65).

Claims 25-27

Claims recite limitations, which have been addressed in claim 1, therefore, are rejected for the same reasons as cited in claim 1.

Claim 28

Claim recites a memory medium comprising program instructions executable (e.g., see step program, disk co1.10:5-17) for performing the method addressed in claim 1, therefore, is rejected for the same reasons as cited in claim 1.

Claims 31-36

Claims recite limitations, which have been addressed in claims 1-4, 19, and 20, therefore, are rejected for the same reasons as cited in claims 1-4, 19, and 20.

Claim 37

Limondin et al. teach a system (e.g., see FIGS.8A-8C & associated text) for creating a graphical program based on a sequence that includes motion control, machine vision, and data acquisition (DAQ) operations (see claim 1), the system comprising:

- a processor (e.g., see target processor Abstract);

- a memory storing program instructions (e.g., see step program, disk co1.10:5-17); and

- a display device (e.g., see FIG.2 & associated text);

wherein the processor is operable to execute the program instructions stored in the memory to:

display a graphical user interface (GUI) on the display device that provides access to a set of operations, wherein the set of operations includes one or more motion control operations, one or more machine vision operations, and one or more DAQ operations (see claim 1);

receive user input to the graphical user interface specifying the sequence of operations, wherein the specified sequence of operations includes at least one motion control operation, at least one machine vision operation, and at least one DAQ operation (see claim 1);

store the specified sequence of operations based on the user input (see claim 1); and

programmatically/automatically generate a graphical program to implement the specified sequence of operations, wherein, in automatically generating the graphical program, the program instructions are executable to generate graphical code in the graphical program without direct user input, wherein the graphical code comprises a plurality of interconnected nodes which visually indicate the functionality of the graphical program (see claim 1).

Claim 38

The rejection of base claim 37 is incorporated. Limondin et al. further teach further comprising: a motion control device (e.g., see motion device, moving camera col.3:15-27; see Calibrate col.7:19-50);

an image acquisition device (e.g., see acquisition of an input image co1.1:15-35);
and

a data acquisition device (e.g., see acquisition of an input image co1.1:15-35);
wherein the processor is operable to execute the graphical program to:
control the motion control device to move an object (e.g., see WarpStep
122 FIG.3 & associated text; see WarpPart, move the image col.7:19-50);

control the image acquisition device to acquire one or more images of the object (e.g., see acquisition of an input image co1.1:15-35; see accelerated image processing, image acquisition co1.2:40-50; see camera images col.4:15-22; see FIG.9 & associated

Art Unit: 2192

text; see FIG.3 & associated text; see acquisition of an image col.5:60-65; see camera images col.7:64-67); and

control the data acquisition device to acquire measurement data of the object (e.g., see acquisition of an input image col. 1:15-35; see feature extraction, features, size, area, length, distance col.1:15-35; see distance, features col.4:15-22; see FIG.9 & associated text; see camera images, distance between features col.7:64-67; col.9:5-25).

Claim 39

Claim recites limitations, which have been addressed in claims 1, and 37, therefore, is rejected for the same reasons as cited in claims 1, and 37.

Claims 41-45

Claims recite limitations, which are subcombinations that have been addressed in claim 1, therefore, are rejected for the same reasons as cited in claim 1.

❑ Claims 12-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over unpatentable over Limondin et al. in view of McDonald et al. (US 5966532), hereinafter, McDonald et al..

Claim 12

The rejection of base claim 1 is incorporated. Limondin et al. do not expressly disclose creating an association between the sequence and the graphical program, modifying the sequence to create a new sequence in response to user input after said creating the association, and modifying the graphical program according to the new sequence to create a new graphical program. • However, McDonald et al. disclose:

creating an association between the sequence and the graphical program (e.g., see 212 FIG.2 & associated text; see 212 FIG.4 & associated text; see association, control, graphical code portion col.5:10-25; col.3:60-co1.4:20; co1.4:1- 10), modifying the sequence to create a new sequence in response to user input after said

Art Unit: 2192

creating the association (e.g., see 226-230 FIG.3 & associated text; see 228 FIG.4 & associated text; col.5:20-45), and

modifying the graphical program according to the new sequence to create a new graphical program (e.g., see 226-230 FIG.3 & associated text; see 230 FIG.4 & associated text).

Limondin et al. and McDonald et al. are analogous art because they are both directed to generating graphical program based on user inputs specifying data acquisition operations. It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al. for the inclusion of creating an association between the sequence and the graphical program, modifying the sequence, and modifying the graphical program to create new graphical program. And the motivation for doing so would have been to facilitate changes or updates to graphical code portions and accordingly, the associations between user inputs (i.e., graphical icons representing corresponding operations) and the aforementioned graphical code portions, thus, providing an improved graphical programming environment where the user has ultimate programming control over the how the graphical programs are generated or defined . based input sequences received through a GUI (see McDonald et al. co1.3:35-57; co1.11:55-63; co1.13:42-58; co1.14:25-42).

Claim 13

The rejection of base claim 12 is incorporated. Limondin et al. McDonald et al. further teach

wherein said modifying the graphical program according to the new sequence uses the association between the sequence and the graphical program (e.g., see 224 FIG.3 & associated text; see 282, 284 FIG.6 & associated text; co1.6:1-10);

wherein the association remains between the new sequence and the new graphical program (e.g., see 288 FIG.6 & associated text). It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al.. And the

Art Unit: 2192

motivation for doing so would have been that which has been recited in claim 12.

Claim 14

The rejection of base claim 1 is incorporated. McDonald et al. further teach further comprising:

creating an association between the sequence and the graphical program (see claim 12); and

locking the association between the sequence and the graphical program, wherein said locking prevents user editing of the graphical program (e.g., see locking prevents user editing co1.5:10-22). It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al. And the motivation for doing so would have been that which has been recited in claim 12.

Claim 15

The rejection of base claim 14 is incorporated. McDonald et al. further teach further comprising:

unlocking the association between the sequence and the graphical program in response to user input after said locking (e.g., see 262 FIG.5 & associated text);

directly changing the graphical program in response to user input after said unlocking (e.g., see 266 FIG.5 & associated text). It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al.. And the motivation for doing so would have been that which has been recited in claim 12.

Claim 16

The rejection of base claim 15 is incorporated. McDonald et al. further teach wherein said unlocking removes the association between the sequence and the graphical program (e.g., see 264 FIG.5 & associated text). It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to

Art Unit: 2192

incorporate the teaching of McDonald et al. into that of Limondin et al.. And the motivation for doing so would have been that which has been recited in claim 12. It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al.. And the motivation for doing so would have been that which has been recited in claim 12.

Claim 17

The rejection of base claim 14 is incorporated. McDonald et al. further teach further comprising:

modifying the graphical program in response to user input after said generating the graphical program and after said creating the association between the sequence and the graphical program (e.g., col.5:10-62);

determining if an association exists between the sequence and the graphical program in response to said modifying the graphical program (e.g., see 224 FIG.3 & associated text; see wizard col.5:35-40); and

removing the association between the sequence and the graphical program in response to said modifying (e.g., col.5:47-63; see breaks the association col.6:5-10). It would have been obvious to one of ordinary skill in the pertinent art at the time the invention was made to incorporate the teaching of McDonald et al. into that of Limondin et al.. And the motivation for doing so would have been that which has been recited in claim 12.

(10) Response to Argument

Argument 1 (with respect to Claims 1, 25, 26, 28, 37, 39, 41-45): 'Limondin does not teach automatically generating the step program or generating "graphical code" in the step program without direct user input~ (Brief, page 17, last paragraph)(Emphasis added).

Response to Argument 1: As has been clearly established in the Final Office Action mailed on 11/28/2005 (see page 4), it should be noted that claim 1 recites "...automatically .. generating graphical code ... without direct user input" after reciting "receiving user input., specifying sequence of operations..". It is clear from the plain language of claim 1 that the sole purpose of the graphical program is to implement a sequence of operations. It is clear from the plain language of claim 1 that said sequence of operations is specified by the user via user input to the graphical user interface. In other words, the user input specifying the sequence of operations is an indirect user input without which, the graphical program cannot be generated. Thus, the claimed limitation "without direct user input" in the "automatically generating a graphical program to implement the sequence of operations ... without direct user input" clause merely amounts and/or is the equivalence of "with indirect user input" because the generation of graphical program depends on indirect user input, specifying the sequence of operations to be implemented by the graphical program. As has been established in the Final Office Action mailed on (11/28/2005), the step program is composed of steps (i.e., software objects or C++ classes) (see at least step program, steps, software objects, C++ classes col.4:25-67, Limondin). Limondin specifically states that the steps can be edited graphically using a point-and-click user interface (i.e., GUI) and that the step program is displayed graphically in a tree control window (see at least col.4:25-67). FIG.2 of Limondin is user interface view of the step program. Limondin further discloses the individual step operation/functionality of the step program is represented [graphically] by an iconic picture (see at least iconic picture, step operation, step program 100 col.5:37-40). Limondin teaches the step program is created and/or edited by having the user graphically manipulating/editing the step icons' parameters (i.e., inputs and outputs) (see at least results, outputs, inputs, steps co1.4:42-50) and connections between the icons and execution order (i.e., sequence and/or control flow) of the steps (i.e., operations) Can also be graphically defined by the user (see at least execution order, step, attribute col.5:25-35). It is respectfully submitted that the user's graphical manipulation of step icons' inputs and outputs and their execution order anticipates "user input to the GUI specifying the sequence of

Art Unit: 2192

operations". Although Limondin's graphical step program is modified in response to the user input, it should be understood that the actual programming/software code for the step program (i.e., graphical code for the step program) is automatically generated to reflect (i.e., implement) the user's modification (i.e., specified sequence of operations). In other words, there is no direct user input (i.e., actual programming/software code) during, the automatic generation of the graphical step program.

Argument 2 (with respect to Claims 1,25, 26, 28, 37, 39, 41-45): 'Limondin does not teach at least the limitation of "automatically generating a graphical program based on the prototype"' (Brief, page 19, 2nd to last paragraph).

Response to Argument 2: It should be noted that the Specification uses the term "prototype" and the verb "develop" interchangeably, suggesting that "prototype" is defined as "to develop" (Specification, page 2, lines 19-20). On page 9, lines 8-9, the Specification also defines "prototype" to be "a sequence of motion control operations". Needless to say, Limondin's user's graphical manipulation of the individual steps (i.e., software objects) of the steps program and their execution order clearly anticipates a prototype (i.e., sequence of operation). Furthermore, co1.3:46-52 of Limondin specifically reads, "In addition to describing sequences of vision operations, the disclosed step program architecture can also be used to describe a variety of other cell control operations which often have to be performed in conjunction with vision processing. Such programs include but are not limited to I/O, communications, and motion control applications" (Emphasis added). Needless to say, Limondin's step program that is generated from a sequence of motion control operations for a motion control application clearly anticipates "generating a graphical program based on the prototype (i.e., sequence of motion control operations)".

Argument 3 (with respect to Claims 1, 25, 26, 28, 37, 39, 41-45): "Limondin does not teach the use of DAQ operations or DAQ measurement devices" (Brief, page 20, 2nd full paragraph).

Response to Argument 3: It has been noted that Appellants assert, "DAQ acronym is not simply an abbreviation for the words 'data acquisition', but refers to 'specific instrumentation technology for acquiring measurement data'" (Emphasis added) (Brief, page 20, 2nd full paragraph). However, contrary to Appellants' assertion, "DAQ" is first and foremost, the abbreviation for the words 'data acquisition'. Thus, "DAQ" generally refers to a plurality of "data acquiring" techniques. In other words, contrary to Appellants' argument, the acronym DAQ does not refer to any one specific instrumentation technique alone. As such, the term "DAQ" can only refer to a "data acquiring" aspect of a 'data acquiring' system and/or process. Moreover, throughout the claims, the acronym "DAQ" is used as an adjective (i.e., not able to stand alone on its own), describing the operations/functions. As claimed, DAQ merely refers to the "data acquiring" aspect of said operations/functions. As established above in Response to Argument 2, co1.3:46-52 of Limondin specifically reads, "In addition to describing sequences of vision operations, the disclosed step program architecture can also be used to describe a variety of other cell control operations which often have to be performed in conjunction with vision processing. Such programs include but are not limited to I/O, communications, and motion control applications" (Emphasis added). Needless to say, DAQ (i.e., data acquisition technology) is inherently employed in said vision operations and said motion control applications.

Argument 4 (with respect to claim 5): "Limondin teaches nothing whatsoever about a step program comprising both a block diagram portion and a user interface panel portion" (Brief, page 21, 2nd full paragraph).

Response Argument 4: It should be noted that page 12 (lines 4-7) of the Specification defines "block diagram" (also referred to as "graphical program") to be "a program comprising graphical code, e.g., two or more interconnected nodes or icons,

wherein the interconnected nodes or icons may visually indicate the functionality of the program". As acknowledged by Appellants (Brief, page 21, 1st full paragraph), FIG.2 and associated text (see at least col.5:37-54) of Limondin explicitly discloses displaying step program 100, wherein each iconic (i.e., graphical) picture represents an individual step operation (e.g., InspectionStep 10, SnapshotStep 110, AcquireStep 112, etc) (i.e., block diagram containing two or more interconnected nodes/icons) of step program 100. Col.5:21-24 of Limondin specifically reads, "The execution order is encoded by the step program 100 first by the position of the step in the tree, i.e. in the order one would enumerate them by reading their name from left-to-right and top-to-bottom". Thus the displayed step program 100 in FIG.2 of Limondin clearly anticipates the "graphical program including a block diagram portion". Co1.9:17-21 and FIG.9 of Limondin specifically disclose displaying the relationship (i.e., interconnection) between the output results generated by a step program". Moreover, col.4:56-60 of Limondin specifically reads, "each step and datum in a step program contains a special identifier or GUI (Globally Unique Identifier) which allows the step or datum to dynamically create the editor objects that let a user change parameters and settings and train a step or datum" (Emphasis added). In other words, the editor objects representing the steps (i.e., operations) are dynamically created (i.e., during execution of the step program) to enable real time modification of the steps and/or their execution order. As such, it is inherent that a "user interface panel portion" is included in (i.e., created by) the step (i.e., graphical) program. For without the "user interface panel portion" that processes graphical user inputs (i.e., user graphically editing of the steps and data), it would be impossible to facilitate real time graphical modification of the step program let alone the development and implementation of the step program (e.g., machine vision or motion control application) without consideration for the underlying programming language.

Argument 5 (with respect to Claims 6 and 31): "Limondin's step program is not a graphical data flow program and does not visually indicate data flow among the nodes" (Brief, page 22, 1st full paragraph).

Response to Argument 5: First, it should be noted that "visually indicate data flow among the nodes" is not required by the plain language of the claims. Furthermore, the plain language of the claims do not require "nodes in the graphical program to be interconnected by lines or wires that visually indicate data flow" (Emphasis added) as argued by Appellants (Brief, page 21, last paragraph). Moreover, it is submitted that Limondin's step program clearly anticipates a graphical data flow program because as established above, co1.5:21-27 of Limondin specifically reads, "The execution order (i.e., data flow format) is encoded by the step program 100 first by the position of the step in the tree, i.e., in the order one would enumerate them by reading their name from left-to- right and top-to-bottom. This is referred as walking or traversing the tree making sure each position is visited once until all steps have been traversed". Co1.8:55-57 of Limondin further reads "the _refto field of every datum object handles connections between inputs of one step and outputs of another". Since, as established above, every step and every datum in the step program can dynamically create editor (graphical) objects that let a user change parameters and settings and train a step or datum (col.4:56-60), Limondin clearly anticipates "a graphical data flow program wherein the nodes are connected according to a data flow format".

Argument 6: For claims 7-10 (Brief, pages 22-24), Appellants repeat the same argument as Argument 1, thus are respectfully referred to Response to Argument 1 established above.

Argument 7 (with respect to claim 11): "Limondin does not teach the limitations recited in claim 11" (Brief, page 25, 3rd paragraph).

Response to Argument 7: As acknowledged by Appellants (Brief, page 25, 2n~ paragraph), co1.4:55-61 of Limondin specifically reads, "each step and datum in a step program contains a special identifier or GUID which allows the step or datum to dynamically create the editor objects that let a user change parameters and settings

Art Unit: 2192

and train a step or datum. The GUID is stored on the host in a special database" (Emphasis added). Col.4:64-col.5:2 of Limondin further reads, "The host provides standard operating system APIs to create an object dynamically given its GUID. This, in essence generates a dual object hierarchy where every runtime step or datum may contain a pointer to an editor object providing a user interface for manipulating the step parameters and inputs". Col.5:8-12 further reads, "On the target, these identifiers (i.e., GUIDs stored in the steps and data) are either ignored when the step program is controlled by the host or are used to generate runtime user interface editors to manipulate the step inputs when the machine vision step program is running in a standalone configuration". It is clear from these passages that each step (i.e., operation) is associated with a GUID that is stored in the database. It is also clear that when the step program is controlled by the host, the editor objects are created dynamically by utilizing their GUIDs (stored and retrieved from the host database). Thus, contrary to Appellants' argument, the GUIDs stored in the database, which are used to create editor objects at runtime clearly anticipate the limitations of claim 11.

Argument 8 (with respect to claims 21 and 36): Appellants merely allege that Limondin does not teach limitations of claims 21 and 36 without adequately analyzing the claim rejections (Brief, page 25, last paragraph). As clearly established in the Final Office Action mailed on 11/28/2005 (pages 13-14), claims 21 and 36 recite the same limitations clearly addressed in rejection of claim 19, for which Appellants did not dispute. As such, the Examiner maintains that Limondin anticipates the limitations recited in claims 19, 21 and 36.

Argument 9 (with respect to claim 38): Appellants merely refer to the previous arguments and allege that Limondin does not disclose the limitations of claim 38 (Brief, page 26)° Thus, the previous Responses to Arguments apply here.

Argument 10 (with respect to claim 24): Appellants repeat Argument 4 (with respect to claim 5), i.e., Limondin does not teach "displaying a graphical (user interface) panel [portion] for setting properties of a step and receiving user input ..." (Brief, page 28).

Response Argument 10: Co1.9:17-21 and FIG.9 of Limondin specifically disclose displaying the relationship (i.e., interconnection) between the output results generated by a step program". Moreover, col.4:56-60 of Limondin specifically reads, "each step and datum in a step program contains a special identifier or GUI (Globally Unique Identifier) which allows the step or datum to dynamically create the editor objects that let a user change parameters and settings and train a step or datum" (Emphasis added). In other words, the editor objects representing the steps (i.e., operations) are dynamically created (i.e., during execution of the step program) to enable real time modification of the steps and/or their execution order. As such, it is inherent that a "user interface panel portion" is included in (i.e., created by) the step (i.e., graphical) program.

For without the "user interface panel portion" that processes graphical user inputs (i.e., user graphically editing of the steps and data), it would be impossible to facilitate real time graphical modification of the step program let alone the development and implementation of the step program (e.g., machine vision or motion control application) .without consideration for the underlying programming language.

Argument 11 (with respect to 103 rejection): "McDonald does not teach creating an association between the sequence of operations specified by a user and graphical program automatically generated based on the sequence of operations" (Brief, pages 28-29).

Response to Argument 11: It should be noted that one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). In other words, McDonald was not relied upon to teach "automatically generating the graphical

Art Unit: 2192

program based on the user specified sequence of operations~'. Rather, this limitation, as has been established, is already anticipated by Limondin (see Response to Argument 1). Furthermore, Appellants also acknowledge (Brief, page 28), "McDonald teaches creating an association between graphical code (e.g., Limondin's step program) and a control, e.g., a user interface control (e.g., step node containing child step nodes aka "sequence of operations"). As such, McDonald clearly suggests creating an association between the Limondin's sequence of operations specified by a user and graphical program automatically generated based on the sequence of operations.

(11) Related Proceeding(s)Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.

Art Unit: 2192

For the above reasons, it is believed that the rejection should be sustained.

Respectfully submitted,

/Thuy Dao/

Examiner, Art Unit 2192

Conferees:

/Tuan Q. Dam/

Tuan Q. Dam

Supervisory Patent Examiner, Art Unit 2192

/Lewis A. Bullock, Jr./

Lewis Bullock, Jr.

Supervisory Patent Examiner, Art Unit 2193